

INDEX

- 1NF. *See* first normal form
- 2NF. *See* second normal form
- 3NF. *See* third normal form
- absolute addressing, 202, 262
- access rights, 293
- accounting, 197
- accumulator, 109, 206
- accuracy versus range, 217
- Active Server Page, 325
- actual parameter, 49, 226
- actuator, 125, 314
- ADC. *See* Analogue to Digital Converter
- advice-giving system, 176
- algebraic expression, 201
- algorithm, 37
- allowable values check, 19
- alpha testing, 58
- ALU. *See* Arithmetic Logic Unit
- analogue, 313
- Analogue to Digital Converter, 24, 313
- ANSI, 30
- applet, 248, 326
- applications program, 6
- archiving data, 108
- argument, 49, 260
- arithmetic errors, 55
- Arithmetic Logic Unit, 109
- array, 81
- array processing, 209
- ASCII, 30, 32
- assembler, 53, 240
- assembly, 53
- assembly language, 240
- assumption, 310
- asynchronous communication, 140
- ATM. *See* Automatic Teller Machine
- authorisation, 327
- automatic data entry, 24
- Automatic Teller Machine, 100, 168
- AVI, 131
- backbone, 139
- backtracking, 258, 260
- backup, 100, 107
- backup system, 312
- Backus Naur Form, 265
- bandwidth, 135
- bar code, 25
- base, 29
- base station, 319
- baseband, 307
- Basic Input Output System, 113, 114
- batch processing, 118
- batch total, 121
- battery-backed RAM, 114, 195
- baud rate, 126
- BCD, 61, 66
- bespoke, 172
- beta testing, 58
- big bang, 164
- binary, 29, 61
- binary addition, 71
- Binary Coded Decimal, 66
- binary search, 228
- binary subtraction, 72
- binary system, 210
- binary tree, 94
- BIOS. *See* Basic Input Output System
- bit, 29
- bitmap, 27, 126
- black box testing, 57
- blind carbon copy, 324
- Bluetooth, 143
- blu-ray, 35
- BNF. *See* Backus Naur Form
- booking system, 124, 311
- Boolean, 76
- boot file, 195
- boot sector, 195
- booting up, 113
- bootstrap, 113, 195
- bottom-up, 59, 247
- breakpoint, 59
- bridge, 301
- broadband, 136, 307
- bubble sort, 232
- buffer, 114, 116
- bug, 55
- bus, 111
- bus network, 137
- byte, 30, 34
- bytecode, 198, 248, 326
- cable, 135
- cache, 114, 342
- CAD, 169
- calculated fields, 76
- call by reference, 227
- call by value, 227
- CAM, 169
- camcorder, 27
- carbon copy, 324
- carry, 73
- CASE, 43
- CASE tools, 332
- Cathode Ray Tube, 28
- CD ROM, 35
- CD RW, 35
- CD-ROM server, 299
- Central Processing Unit, 3, 4, 10, 109, 116, 204
- Centronics Interface, 142
- character, 76
- character length check, 12
- character set, 30
- check digit, 12, 19
- check sum, 121, 145, 146
- CIR. *See* Current Instruction Register
- circuit switching, 146
- circular queue, 90
- CISC. *See* Complex Instruction Set Computer
- Class, 249
- Client-server database, 329
- client-server network, 196
- clock, 111
- cloud, 107
- cluster, 195
- CMOS, 114, 195
- coaxial cable, 304
- code, 30
- code generation, 200, 265
- code optimisation, 201, 265
- codec, 131
- coding text values, 75
- collecting documents, 154
- collision, 306
- Comma Separated Variable, 128
- command line interface, 15, 194
- comments, 59
- common applications, 167
- communications protocol, 141, 147
- compiler, 54, 198
- Complex Instruction Set Computer, 205
- compression, 10, 27
- Computer Aided Design, 169
- Computer Assisted Manufacturing, 169
- Computer Misuse Act 1990, 182
- concept keyboard, 23
- conditional jump, 207
- confidentiality, 180
- configuration, 341
- constructor, 250
- control signal, 111
- control total, 121
- control unit, 109
- controversial information, 183
- cookies, 325
- cost-benefit analysis, 153
- CPU. *See* Central Processing Unit
- critical, 318
- Critical path analysis, 337
- cross-checking, 334
- cross-referencing, 59
- CRT. *See* Cathode Ray Tube

- CSV. *See* Comma Separated Variable
- Current Instruction Register, 206
- custom-built software, 172
- DAC. *See* Digital to Analogue Converter
- data consistency, 121
- Data Definition Language, 294
- data dictionary, 77, 159, 162
- data encapsulation, 249
- data input, 23
- data input mask, 12
- data integrity, 121
- data logging, 24
- Data Manipulation Language, 294
- data mining, 347
- data processing system, 174
- Data Protection Act 1998, 180, 327
- data redundancy, 270
- data transmission, 126
- data verses information, 173
- data warehousing, 347
- database, 77, 291
- Database Management System, 293
- database software, 170
- dataflow diagram, 156
- date, 76
- DBMS. *See* Database Management System
- DDL. *See* Data Definition Language
- debugging, 54
- decision-making system, 177
- declarative language, 241, 258
- decoding and instruction, 206
- defragmentation, 9
- degrees of freedom, 315
- denary, 29, 61
- design stage, 161
- desktop publishing software, 171
- DFD. *See* Dataflow diagrams
- diagnostic system, 176
- dialogue box, 17
- dial-up, 306
- digital camera, 27
- digital certificate, 328
- digital divide, 178
- digital signature, 325, 328
- Digital to Analogue Converter, 313
- direct addressing, 202, 262
- direct changeover, 164
- direct-access file, 106
- Directive 95/46/EC (2000), 182
- Directive 97/66/EC, 182
- disk threshing, 193
- distributed database, 329
- DLL. *See* Dynamically Linked Library
- DML. *See* Data Manipulation Language
- documentation stage, 164
- domain name, 322
- domain name server, 322
- Domain Name Server, 330
- DOS, 15
- dot matrix printer, 27
- drawing software, 171
- driver, 4, 10, 143, 203
- dry run, 58
- duplex, 140, 144, 319
- DVD, 35
- dynamic data structure, 84, 88, 94, 220
- dynamic web page, 326
- Dynamically Linked Library, 203
- EBCDIC, 31
- echo, 145
- e-commerce, 343
- EDI. *See* Electronic Data Interchange
- education patterns, 180
- EFTPOS, 168
- electrical interference, 135
- Electronic Data Interchange, 345
- element, 81
- ELH. *See* Entity Life History
- embedded system, 317
- encapsulation, 242
- encryption, 325, 327
- engineering model, 308
- Entity Life History diagram, 161, 289
- Entity-Relationship diagram, 161, 271, 283
- environmental issues, 184
- EPOS, 167
- E-R diagram. *See* Entity-Relationship diagram
- ergonomic, 23
- error detection, 8
- ethernet, 306
- ethical, 178
- evaluating a system, 165
- even parity, 144
- event, 242
- executable code, 53
- executing an instruction, 206
- expert system, 175, 258
- exponent, 210
- eye strain, 183
- factorial, 51
- fail-safe systems, 312
- FAT. *See* File Allocation System
- feasibility report, 153
- feasibility study, 153
- feedback, 315
- fetch-decode-execute cycle, 109, 205
- fibre optic, 139, 305
- field, 77
- FIFO. *See* First In First Out
- fifth generation language, 241
- file, 77
- File Allocation System, 196
- file handlers, 9
- file management, 8
- file server, 299
- file sharing, 197
- File Transfer Protocol, 323
- financial model, 308
- firewall, 327
- firewire, 143
- firmware, 114
- first generation language, 240
- First In First Out, 88
- first normal form, 277
- fixed-length file, 77
- fixed-point representation, 210
- flag, 232
- flash drive, 34
- flashing, 113
- flat file, 270, 291
- floating-point number, 210
- floppy disk, 34
- flowchart, 40
- FOR, 41, 44
- foreign key, 271, 292
- formal parameter, 48, 226
- format, 9
- format check, 19
- form-based interface, 12
- fourth generation language, 241
- FTP. *See* File Transfer Protocol
- function, 38, 46
- functional language, 242
- future-proofing, 342
- Gantt chart, 334
- gateway, 302
- generic, 5, 6
- generic application, 169
- GIF, 127
- Gigabyte, 30
- glass box testing. *See* white box testing
- global variable, 48
- goal, 260
- graph, 21
- Graphical User Interface, 7, 14, 194
- group interview, 154
- GUI. *See* Graphical User Interface
- half duplex, 144
- half-duplex, 140
- handshaking, 142
- hard disk, 35, 342
- hard drive, 195
- hardcopy, 4
- hardware, 3, 341

hardware error interrupt, 187
 hash file, 105
 hashing algorithm, 105
 head of the list, 84
 health and safety, 183
 heap, 93, 220
 hex, 61, 62
 hierarchical database, 291
 high-level language, 53, 240
 high-level scheduler, 189
 hotlink, 324
 HTML, 32, *See* HyperText Markup Language
 hub, 300
 Human-Computer Interface, 12, 15
 hyperlink, 324
 HyperText Markup Language, 324
 I/O interrupt, 187
 I/O port, 205
 I/O-bound job, 189
 IAS. *See* Immediate Access Store
 identifier, 81
 IF, 42
 Immediate Access Store, 109, 110, 113, 205
 immediate addressing, 262
 implementation stage, 163
 inconsistent, 271
 indentation, 60
 index sequential file, 101
 indexed addressing, 264
 indirect addressing, 263
 inference engine, 175
 infix notation, 201
 information-hiding, 249
 infra-red port, 143
 inheritance, 249, 253
 initialisation, 81
 inkjet printer, 27
 IN-ORDER, 97
 input design, 162
 input device, 3
 insertion sort, 231
 installation stage, 163
 instantiation, 249, 260
 integer, 75
 integrated package, 6
 integration testing, 39, 58
 interactive information system, 173
 interactive processing, 124
 interconnections, 135, 304
 interface, 7, 312, 342
 intermediate code, 54
 Internet, 303
 Internet Service Provider, 137
 interpreter, 54, 198
 interrupt, 92, 116, 187
 interrupt handling routine, 188
 interrupt priorities, 188
 interrupt register, 188, 207
 intranet, 323
 IP address, 302, 303, 322
 ISBN, 19
 ISDN, 306
 ISO 10646, 31
 ISP. *See* Internet Service Provider
 iteration, 43, 244, 290
 Jackson Structured Programming, 243
 Java, 248, 326
 JCL. *See* Job Control Language
 Job Control Language, 118
 JPEG, 127
 JSP. *See* Jackson Structured Programming
 jump instruction, 207
 keyboard, 23
 key-to-disk, 120
 Kilobyte, 30
 klaxon, 28
 knowledge base, 175
 knowledge-based system, 175
 LAN. *See* Local Area Network
 laser printer, 27
 Last In First Out, 90
 layering of protocols, 149
 layers, 147
 leased line, 307
 least significant bit, 141
 legal, 178
 legislation, 180
 leisure patterns, 179
 lexical analysis, 199, 265
 library, 6, 10
 LIFO. *See* a Last In First Out
 line spacing, 60
 linked list, 84, 220
 linker, 202
 loader, 191, 202
 Local Area Network, 135
 local variable, 48
 locking, 293
 logical, 8, 147
 logical error, 55
 logical progression, 333
 lossless, 131
 lossy, 131
 low-level language, 240, 262
 low-level scheduler, 190
 MAC address, 136, 302
 machine code, 53, 198, 240
 Magnetic Ink Character Recognition, 26
 magnetic stripe, 26
 magnetic tape, 35
 magnitude, 68
 mail server, 299
 maintenance stage, 164
 Management Information System, 173
 mantissa, 210
 many-to-many relationship, 284
 MAR. *See* Memory Address Register
 marketing, 168
 master file, 101, 122
 maths co-processor, 209
 MDR. *See* Memory Data Register
 medium-level scheduler, 189
 Megabyte, 30
 memory, 113
 Memory Address Register, 206
 Memory Data Register, 206
 memory management, 8, 191
 menu-based interface, 13
 merging data, 231, 238
 metadata, 132
 method, 242, 249
 MICR. *See* Magnetic Ink Character Recognition
 microprocessor, 11
 MIDI, 129
 MIS. *See* Management Information System
 missile guidance system, 312
 mnemonic, 53, 240, 262
 mobile network, 319
 Mobile Telephone Switching Office, 320
 model, 308
 modular, 39
 module, 38, 46
 moral, 178
 mouse, 24
 MP3, 130
 MPEG, 131
 multimedia, 21
 multiprogramming, 189
 multi-tasking, 123
 multi-user operating system, 123
 natural language interface, 15
 negative binary numbers, 68
 nested, 43
 network, 134
 network adapter, 136
 network card, 136
 network database, 291
 Network Interface Card, 302
 Network Operating System, 136, 196,
 nibble, 30
 NIC. *See* Network Interface Card
 node, 84, 220
 nomadic network, 319
 non-volatile, 34, 113, 115
 normalisation, 161, 275, 283
 normalised form, 211, 216

NOS. *See* Network Operating System
 null pointer, 84, 220
 object, 242, 249
 object code, 10, 53, 198
 object oriented programming, 248
 object-oriented language, 242
 observation, 155
 OCR. *See* Optical Character Recognition
 octal, 61, 64
 odd parity, 144
 offline, 119, 120
 off-the-shelf software, 172
 Ogg Vorbis, 130
 OMR. *See* Optical Mark Reader
 one-dimensional array, 81
 one-to-many relationship, 271, 284
 one-to-one interview, 154
 one-to-one relationship, 286
 online, 119, 120
 opcode, 262
 Open Systems Interconnection, 147
 operand, 262
 operating system, 4, 5, 7, 186
 Optical Character Recognition, 25
 Optical Mark Reader, 25
 OSI model, 147
 output design, 162
 output device, 3
 output format, 21
 packet, 146
 packet switching, 146, 322
 page, 192
 page file, 192
 page table, 193
 paradigm, 240
 parallel architecture, 310
 parallel port, 142
 parallel processing, 208, 312
 parallel running, 163
 parameter, 48
 parity, 140, 144
 parity block, 145
 passing parameter, 48, 226
 passive information system, 173
 path, 132
 payroll, 101, 168
 PC. *See* Program Counter
 PCMCIA card, 136
 PDF. *See* Portable Document Format
 peer-to-peer network, 196
 peripheral, 3, 342
 PGP. *See* Pretty Good Privacy
 phased implementation, 164
 phishing, 325
 photocell, 312
 phrase, 200
 physical, 8, 147
 pilot running, 164
 pipeline processing, 209
 piracy, 179
 pirate, 131
 pixel, 26, 126, 127
 plotter, 28
 pointer, 220
 pointers, 84
 point-of-sale, 167
 polymorphism, 252
 popping, 49
 port, 140, 303, 304
 Portable Document Format, 129
 POS, 167
 POST, 113
 POST-ORDER, 99
 posture, 183
 Power On Self Test, 195
 predicate, 260
 PRE-ORDER, 98
 presence check, 12, 20
 pressure mat, 312
 pressure sensor, 312
 Pretty Good Privacy, 325, 327
 primary key, 77, 271, 292
 primary memory, 111, 115
 Primary Memory, 34
 print management software, 193
 print server, 299
 privacy, 180
 Privacy and Electronic Communication Regulations (PECR) Act 2011, 182
 private key, 327
 procedural language, 241
 procedure, 38, 46
 process, 189
 process control, 124, 169
 process control block, 191
 processor-bound job, 189
 program counter, 110, 206
 program error interrupt, 187
 program specification, 162
 project life cycle, 151, 332
 project management, 331
 Project Manager, 331
 PROLOG, 258
 protocol, 147
 prototype, 152, 332
 proximity sensor, 312
 proxy server, 299, 327
 PS/2, 143
 pseudo-code, 37
 PSTN, 146
 public key, 327
 pushing, 49
 Python, 83
 quality, 349
 questionnaire, 155
 queue, 88
 quicksort, 233
 RA, 130
 RAD. *See* Rapid Application Development
 radio frequencies, 320
 RAM, 54, *See* Random Access Memory
 Random Access Memory, 7, 113
 random file, 105
 range check, 12, 19
 Rapid Application Development, 152, 332
 READ control signal, 112
 Read Only Memory, 113
 real number, 75
 real-time, 311
 real-time processing, 123, 124
 record, 77
 recursion, 51
 Reduced Instruction Set Computer, 205
 register, 49, 109, 114
 relational database, 77, 269, 275, 291
 relative addressing, 203
 REPEAT, 45
 repeater, 300
 repetition. *See* Iteration
 Repetitive Strain Injury, 23, 183
 report, 21
 report generator, 200
 requirements specification, 159
 resolution, 27, 126
 resolving many-to-many relationship, 285
 resource allocation, 189
 re-training, 348
 reverse Polish notation, 201
 Rich Text Format, 128
 ring network, 138
 RISC. *See* Reduced Instruction Set Computer
 robot, 315
 roller coaster, 308
 ROM. *See* Read Only Memory
 root node, 94
 round robin, 191
 router, 302, 303
 RS232, 140
 RSI. *See* Repetitive Strain Injury
 RTE. *See* Rich Text Format
 rule base, 175
 run-time error, 55
 sample, 314
 sample rate, 314
 sample time, 25
 SAR, 320
 satellite, 305

scanner, 26
 scheduling, 189
 scope, 47, 48
 screen saver, 9
 SD card, 35
 second generation language, 240
 second normal form, 278
 secondary key, 292
 secondary storage, 111, 115
 Secondary Storage, 34
 sector, 195
 security, 135, 197, 327
 segmentation, 193
 selection, 42, 244, 290
 self-correcting parity block, 145
 semantics, 199
 sensor, 125, 312
 sequence, 42, 243, 290
 sequencer, 130
 sequential file, 101, 228
 serial file, 100
 serial port, 140
 serial search, 228
 SID. *See* System Identification Code
 sign, 68
 sign and magnitude, 68
 Simple Mail Transfer Protocol, 323
 simplex, 144
 simulation, 308
 single-user operating system, 123
 sizing a file, 77
 smart card, 26
 SMART requirements, 160
 SMTP. *See* Simple Mail Transfer Protocol
 socket, 303
 software, 3, 341
 solenoid valve, 314
 solid state, 34
 sorting, 231
 source code, 10, 53, 198
 speaker, 28
 speed mismatch, 118, 119, 125, 193
 spiral model, 152
 spooler, 90, 193, 197
 spreadsheet software, 170
 SQL. *See* Structured Query Language
 SSADM, 332
 stack, 49, 90, 92, 201, 226, 227
 stack overflow, 49
 standalone computers, 134
 standards, 148
 star network, 139
 static data structure, 82, 220
 status register, 110, 207
 stepwise refinement. *See* top-down
 stock control, 167
 storage, 34
 storage device, 3, 4
 stress, 184
 string, 75
 string manipulation, 32
 structure diagram, 158
 Structured Query Language, 295
 subroutine, 38
 subscript, 29
 swap file, 192
 switch, 301, 312
 synchronous communication, 141
 syntax analysis, 199, 265
 syntax diagram, 267
 syntax error, 55
 System Identification Code, 320
 system use, 9
 systems analysis, 153
 systems analyst, 152
 systems flowchart, 157
 systems life cycle, 151
 systems software, 5, 7
 tablet, 24
 TCP/IP, 322
 technical documentation, 165
 telephone numbers, 76
 teleworking, 349
 terminal symbol, 266
 test plan, 163
 test strategies, 55
 text file, 128
 TFT screen, 28
 thermistor, 24, 312
 third generation language, 240
 third normal form, 280
 time slicing, 8
 timer interrupt, 187
 time-slicing, 191
 token stream, 200
 top-down, 38, 59
 topology, 137
 touch screen, 24
 trace, 58
 trace table, 58
 track, 195
 training, 348
 training pilots, 309
 transaction file, 101, 122
 translator, 4, 5, 6, 53
 translator diagnostics, 58
 translators, 10
 traversing a tree, 97
 tree, 94
 trojan horse, 325
 two-dimensional array, 81
 two's complement, 69
 UCS, 31
 UML diagram, 250, 254
 unconditional jump, 207
 UNF. *See* Un-normalised form
 Unicode, 31
 Uniform Resource Locator, 323
 unit testing, 39, 58
 UNIX, 15
 Un-normalised form, 276
 unshielded twisted pair, 304
 URL. *See* Uniform Resource Locator
 USB pen drive, 34
 user documentation, 164
 user interface, 4, 7, 175
 utility, 5, 8
 validation, 12, 19, 120
 valuable data, 345
 Value Added Network, 347
 VAN. *See* Value Added Network
 variable, 47, 59
 variable parameter, 49
 variable-length records, 79
 vector graphics, 127
 vectored interrupt mechanism, 188
 verification, 20, 120, 122
 video capture card, 27
 view, 293
 virtual memory, 192
 virus, 325
 virus checkers, 10
 Visual Display Unit, 28
 voice recognition, 26
 volatile, 34, 113, 115
 Von Neumann architecture, 204
 Von Neumann bottleneck, 208
 walkie-talkie, 320, 321
 WAN. *See* Wide Area Network
 watch, 58
 WAV, 130
 weather prediction, 309
 web browser, 32
 web server, 299
 WHILE, 44
 white box testing, 56
 Wide Area Network, 135
 WIMP. *See* Windows Icons Menus Pointers
 Windows, Icons, Menus and Pointers, 194
 wireless, 305
 word processing software, 169
 word size, 111
 working environment, 184
 working patterns, 179
 worm, 325
 WRITE control signal, 111
 zip, 10